	Milestone	MIIC2 Project Pla			· · · · · · · · · · · · · · · · · · ·			
е	Milestone	Major Task	Who	Est.	Notes	Progress		
				time		(in progress)		
				(days)		(complete)		
						(not started)		
						(lower priority)		
_	Intercalibration, Data Mining, Initial Deployment Use case analysis							
	Use case allalysis	GSICS intercalibration use cases	Doelling		both GEO/LEO and LEO/LEO	Lower priority		
		Other intercalibration use cases	Lukashin		DOUT GEO/LEO AND LEO/LEO	Lower priority		
		Data mining use cases	Lukashin			Ongoing		
		Data mining dec dates	Lakaomin		Requires full-res N-Tuple data collection & new data	Origonia		
		Intercomparison use cases	Liu		collections	Ongoing		
		OSSE use cases	Roberts		33.103.101.0	Not started		
	Data System Hardware			1				
		ASDC Data System Design	Johnson		Upgrade to 10GigE, MIIC server purchaced	Complete		
						Not conducted		
		ASDC Data System Design Review	Currey			???		
		Pre-production integration & test at			Gain insight into MIIC behavior by continuous			
		dataserver2 (ASDC)	Bartle		deployments to production-like system	Ongoing		
					h/w requirements, use existing?			
					storage capacity? ~15TB initially, size?			
					connectivity - existing DMZ? NFS share			
		NODO DA CARA DA C			IT security authorization for opendap			
		NCDC Data System Design	Morris	6 mo.	Access to Dave for opendap install	Not started		
	Setup project mgmt. too	NCDC Data System Design Review	Currey					
	Setup project mgmt. too				ECE hosts project wiki (Confluence), project tickets			
		PM Tools at ECE			(Jira) and project repository (Git)	Complete		
		I W TOOIS at LOL			Wiki content migrated. Old tickets (TRAC) were not	Complete		
		Populate with MIIC-1 data	TJ		migrated	Complete		
	Simplify System Deploy		10		mgratea	Complete		
	, <i>y</i> _ <i>y y</i>				This will greatly simplify the procedure to get NCDC,			
					LaRC, or others servers running with the correct			
		Package OPeNDAP + MIIC as RPM	Bartle		OPeNDAP version	In progress		
		Simplify MIIC war generation and						
		deployment	Bartle		Easily reproducable MIIC war configuration	Complete		
	Software architecture re							
		User interface and interaction design	Bartle		Only minor changes needed from MIIC-1 design	Complete		
	NODO 0053 : 1	Service oriented design	Bartle		Only minor changes needed from MIIC-1 design	Complete		
	NCDC GOES data prod	luct access			00501 1055			
		0 (NODO 0050	D (1		Access GOES from netCDF as opposed to McIDAS			
		Support NCDC GOES	Bartle		binary	In progress		
		Defeator CEO viewing and acception	Dortle		Improve the algorithm that generates GEO viewing	Not started /		
	Full recolution /N Turks	Refactor GEO viewing angle generation	вапіе		angles, if necessary	lower priority		
	Full resolution (N-Tuple) uata analysis			Supports two collection formats: flattened 1D erroy w/			
		Server-side full-resolution data collection			Supports two collection formats: flattened 1D array w/ original indices, or N-dimensional array with filtered			
		and filtering (N-tuple)	TJ / Bartle		indices removed completely	Complete		
		Client-side intercalibration using full-res	13 / Dartie		Does not need to support analysis at this time	Complete		
		data	Bartle		assumption that client will perform her own analysis	Complete		
		uuiu	Dartic		accompliant that offent will perform for own analysis	Somplete		

Contrained data product do	cess (2D histogram & full resolution)		Dequires code change to cupport multiple files per	
		Dartie /	Requires code change to support multiple files per	
	(A) (III DO ODD (II =)	Bartle /	logical granule (one file stores a subset of available data	
Sup	pport VIIRS SDR (h5)	Currey	variables)	In progress
		Bartle /		
Sup	pport CrIS SDR (h5)	Currey		In progress
		Bartle /		
Sur	pport ATMS SDR (h5)	Currey		In progress
		Bartle /	Requires code change to support multiple files per	, <u></u>
Sur	pport VIIRS EDR (h5)	Currey	logical granule	In progress
	ppent 1 to (ne)	Bartle /	Togroun grantaro	p. eg. eee
Sur	pport CrIS EDR (h5)	Currey		In progress
Cup	pport one EBIT (ne)	Bartle /		in progress
Cur	pport CERES SSF (hdf4)	Currey	CERES L2 collections are supported	Complete
Sup	pport CERES SSF (IIuI4)		CERES L2 collections are supported	Complete
0		Bartle /	Oaliana I.4.0 I.O aalla atiana ana assana ataut	Ormanista
	pport L2 CALIOP (hdf4)	Currey	Calipso L1 & L2 collections are supported	Complete
Enhanced intercalibration &		D (1	A 1 1 1990 1 1 19	
	P VIIRS vs. GOES analysis	Bartle	Analysis capabilities are lower priority	Not started
	neralized LEO/GEO analysis	Bartle	Analysis capabilities are lower priority	Not started
	neralized LEO/LEO analysis	Bartle	Analysis capabilities are lower priority	Not started
Enhanced histogram analysi				
	pport for 1D or 3D histograms	Bartle	Lower priority	Not started
Sup	pport for non-spatial 2D histogram		Non lat/lon binning is now supported as an "advanced"	
bins	S	Bartle	data collection option for 2D Histograms	Complete
Enhanced event prediction			, , , , , , , , , , , , , , , , , , ,	
	st all available satellites w/ TLEs	Bartle		Complete
	plement ground site vs. satellite	Roithmayr		-
	diction	/ Bartle		Complete
	egrate Space Track TLE provider	Bartle		Complete
	egrate with data mining	Bartle		Complete
	estigate faster prediction based on	Bartle /	CERES-OT for example uses Post-GIS database to find	Complete
	estigate laster prediction based on duct metadata	Baskin	files via query (fast)	In progress
	duct metadata	Daskiii	illes via query (last)	In progress
Enhanced user interfaces	CT interfere to good a intercellly well an			
	ST interface to access intercalibration	D	Opening to the state of the sta	O- marilata
	ctionality	Bartle	Complete pending no new analysis requirements	Complete
	ST interface to access data mining			
fun	ctionality	Bartle	Complete pending no new mining functionality	Complete
			HTTP-based authentication for REST users and form-	
Imp	plement web security	Bartle	based authentication for web app users	Complete
Pro	totype web app support for			
	ercalibration	Bartle	Complete pending no new analysis requirements	Complete
Pro	totype web app support for data			
min		Bartle	Complete pending no new mining functionality	Complete
	ta visualization for 2D histogram			
	nat data	Bartle	Currently supports graphing 2D histogram data.	Complete
	ta visualization for N-Tuple format	Bartle /	Visualize N-Tuple dimensional formatted data based on	
dat	·	Currey	Currey's python code	In progress
	ta visualization for IFOV format data	Bartle	Resurrect older IFOV charts	
Enhanced server-side filterin		שמונוכ	I LESUITED DIACI II OV CHAILS	In progress
	Y		Unique colution allows foot filtering an arm directorism	
	factor to support arbitrary dimensional	Dortle	Unique solution allows fast filtering on any dimensions	Complete
	ering	Bartle	contained within the requested data & filter variables	Complete
Cla	oud mask filtering	Bartle	Supported via arbitary filters above	???

	International Geosphere-Biosphere			
	Programme (IGBP) surface type map			
	filtering	Bartle	Supported via arbitary filters above	???
			I believe this is filtering on information not contained	
	Data quality filtering	Bartle	within the data file itself	Lower priority
			Lat/lon filtering requires an increasing range expressed	
			as (e.g. for lon) -180 to 180 which does not always work	
	Improved latitude/longitude filtering	Bartle	with the event bounds or data variable format.	In progress
Enhanced client-				
	Support time-based filtering for events	Bartle	Important for files containing whole satellite orbits	Complete
	Integrate available server-side filtering		Client currently supports server-side filtering to the event	t <u> </u>
	capabilities at client	Bartle	bounding area & time and to fixed variable range(s).	In progress
	Cloud mask filtering	Bartle		Not started
	IGBP filtering	Bartle		Not started
			Users have expressed some interest in having retrieved	
	Post-collection filtering to event		matched data filtered based on event prediction	
	prediction parameters	Bartle	parameters (e.g. max viewing angle delta)	Not started
Automated Metric				
	Capture raw data to provide required			
	metrics	Bartle		Not started
	Implement monthly metrics reporting	Bartle		Not started
Initial Deploymen				
	Hardware procurement, upgrade,	Currey /		
	configuration	Johnson	MIIC server purchased, pending setup	In progress
		Currey /		
	Integrate and test	Bartle		Not started
		Morris /		
	Deploy MIIC Hyrax at NCDC	Johnson		Not started
	Deploy MIIC Hyrax at ASDC	Johnson		Not started
	Deploy MIIC Hyrax at NCDC Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC			
	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa	Johnson Johnson		Not started
	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources	Johnson Johnson		Not started
	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c)	Johnson Johnson		Not started
	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c) Support additional event generators	Johnson Johnson		Not started
	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c) Support additional event generators Support additional comparison source	Johnson Johnson		Not started
	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c) Support additional event generators Support additional comparison source types (surface, satellite, model data,	Johnson Johnson		Not started
Refactor MIIC to	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c) Support additional event generators Support additional comparison source types (surface, satellite, model data, etc.)	Johnson Johnson		Not started
Refactor MIIC to	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c) Support additional event generators Support additional comparison source types (surface, satellite, model data,	Johnson Johnson		Not started
Refactor MIIC to	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c) Support additional event generators Support additional comparison source types (surface, satellite, model data, etc.)	Johnson Johnson	We currently find OPeNDAP-served data by using	Not started Not started
Refactor MIIC to	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c) Support additional event generators Support additional comparison source types (surface, satellite, model data, etc.) r-side data file searching	Johnson Johnson	thredds metadata responses to "crawl" folders based on	Not started Not started
Refactor MIIC to	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c) Support additional event generators Support additional comparison source types (surface, satellite, model data, etc.) r-side data file searching Improve server-side data file searching	Johnson Johnson	thredds metadata responses to "crawl" folders based on folder naming conventions (data collection name and	Not started Not started
Refactor MIIC to	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c) Support additional event generators Support additional comparison source types (surface, satellite, model data, etc.) r-side data file searching Improve server-side data file searching performance	Johnson Johnson	thredds metadata responses to "crawl" folders based on	Not started Not started
Refactor MIIC to	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c) Support additional event generators Support additional comparison source types (surface, satellite, model data, etc.) r-side data file searching Improve server-side data file searching performance Integrate with MIIC client	Johnson Johnson	thredds metadata responses to "crawl" folders based on folder naming conventions (data collection name and	Not started Not started
Refactor MIIC to	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c) Support additional event generators Support additional comparison source types (surface, satellite, model data, etc.) r-side data file searching Improve server-side data file searching performance Integrate with MIIC client uct support	Johnson Johnson	thredds metadata responses to "crawl" folders based on folder naming conventions (data collection name and	Not started Not started
Refactor MIIC to	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c) Support additional event generators Support additional comparison source types (surface, satellite, model data, etc.) r-side data file searching Improve server-side data file searching performance Integrate with MIIC client uct support Server-side filtering and spatial subsetting	Johnson Johnson	thredds metadata responses to "crawl" folders based on folder naming conventions (data collection name and	Not started Not started
Refactor MIIC to	Deploy MIIC Hyrax at ASDC Deploy MIIC Services at ASDC Intercomparison, and Enhanced Data Analysis support intercomparisons beyond satellite vs. sa Support comparisons using >2 sources (i.e. a vs. b vs. c) Support additional event generators Support additional comparison source types (surface, satellite, model data, etc.) r-side data file searching Improve server-side data file searching performance Integrate with MIIC client uct support Server-side filtering and spatial	Johnson Johnson	thredds metadata responses to "crawl" folders based on folder naming conventions (data collection name and	Not started Not started

	Run user-specified N-tuple server-side			
	functions			
Enhanced client da				
Lillianced Cherit de	Integrate SCAVIS curve fitting			
	Integrate SCAVIS curve numg Integrate SCAVIS time-series analysis			
	Integrate SCAVIS time-series analysis Integrate SCAVIS histogram analysis			
Evlauate ASDC/No	CDC deployment			
Eviauale ASDC/IN				
	Analyze performance issues			
	Analyze issues related to off-line storage			
Intercomparison su				
	Multi-satellite instrument acquistion and analysis			
	Cloud and Aerosol validation using CrIS,			
	ATMS, VIIRS, and CALIOP data at orbit			
	crossings	Liu		
	Histogram analysis	Lukashin		
Enhanced user into		Lukusiiiii		
Lillianced doci int	REST interface to access			
	intercomparison functionality			
	REST interface to access OSSE/GCM			
	data			
	Prototype web app support for			
	intercomparison			
GSICS Intercalibra	ation demonstration			
	REST-based intercalibration			
	REST-based large data analysis			
Support NOAA NO	CDC off-line data			
			We predict a need to find files that are stored off-line	
			and therefore not available to find via OPeNDAP	
	Search off-line data holdings		thredds catalog	
			We currently request OPeNDAP-served data via HTTP	
	Asynchronous server requests		requests. This will not work for off-line storage.	
2nd Deployment				
	Address performance issues and			
	scalability			
	Support NOAA NCDC off-line storage			
	Deploy MIIC/Hyrax at NCDC and ASDC			
	Integrate and test			
Code Delivery				
	Deliver code to ECE or other designated			
	repository			
Documentation				
	Prepare user training materials			
	Publish journal article on MIIC			
	capabilities & benefits			